




Re: Fw: Screening Values for Puerto Rico Leaching Tests 
Susan Thorneloe to: Garrabrants, Andrew Charles
Cc: Peter Kariher

07/20/2012 12:00 PM

From: Susan Thorneloe/RTP/USEPA/US
To: "Garrabrants, Andrew Charles" <a.garrabrants@Vanderbilt.Edu>
Cc: Peter Kariher/RTP/USEPA/US@EPA

Please talk directly to Peter about what you need. I will let Lenny know that we could walk him thru the results within the next week. Could you identify some dates to meet on the Region 2 samples coordinating with David? I will coordinate with ORCR and Reg 2.

Sent by EPA Wireless E-Mail Services

From: "Garrabrants, Andrew Charles" [a.garrabrants@Vanderbilt.Edu]
Sent: 07/20/2012 09:55 AM EST
To: Susan Thorneloe
Cc: Peter Kariher
Subject: RE: Fw: Screening Values for Puerto Rico Leaching Tests

Susan,

(b) (5) [Redacted text block]

[Redacted text block]

Andy

Andrew C. Garrabrants, Ph.D.

Associate Research Professor

Department of Civil & Environmental Engineering

Vanderbilt University

VU Station B35-1831

2301 Vanderbilt Pl, Nashville, TN 37235

615-322-7226 office

615-322-3365 fax

FedEx and UPS:

400 24th Avenue South

Jacobs Hall 281

Nashville, TN 37235

From: Susan Thorneloe [mailto:Thorneloe.Susan@epamail.epa.gov]

Sent: Friday, July 20, 2012 9:26 AM

To: Garrabrants, Andrew Charles; Peter Kariher

Cc: Kosson, David S

Subject: Re: Fw: Screening Values for Puerto Rico Leaching Tests

(b) (5)

(b) (5)

Sent by EPA Wireless E-Mail Services

From: "Garrabrants, Andrew Charles" [a.garrabrants@Vanderbilt.Edu]

Sent: 07/20/2012 09:17 AM EST

To: Susan Thorneloe

Cc: "Kosson, David S" <David.Kosson@Vanderbilt.Edu>

Subject: RE: Fw: Screening Values for Puerto Rico Leaching Tests

Thanks, Susan. (b) (5)

Andrew C. Garrabrants, Ph.D.

Associate Research Professor

Department of Civil & Environmental Engineering

Vanderbilt University

VU Station B35-1831

2301 Vanderbilt Pl, Nashville, TN 37235

615-322-7226 office

615-322-3365 fax

FedEx and UPS:

400 24th Avenue South

Jacobs Hall 281

Nashville, TN 37235

From: Susan Thorneloe [<mailto:Thorneloe.Susan@epamail.epa.gov>]
Sent: Friday, July 20, 2012 9:15 AM
To: Garrabrants, Andrew Charles; Peter Kariher; Kosson, David S
Cc: Richard Benware; Greg Helms; Richard Shores
Subject: Fw: Fw: Screening Values for Puerto Rico Leaching Tests

FYI

Sent by EPA Wireless E-Mail Services



Lenny Grossman

----- Original Message -----

From: Lenny Grossman
Sent: 07/20/2012 10:10 AM EDT
To: Susan Thorneloe
Cc: Nicole Kraft
Subject: Re: Fw: Screening Values for Puerto Rico Leaching Tests
Susan,

(b) (5)

Best regards,

Len



Susan Thorneloe---07/19/2012 03:18:51 PM---Can you respond to Andy's questions below? -----
Forwarded by Susan Thorneloe/RTP/USEPA/US on 07/1

From: Susan Thorneloe/RTP/USEPA/US
To: Lenny Grossman/R2/USEPA/US@EPA
Cc: "Kosson, David S" <David.Kosson@Vanderbilt.Edu>, "Delapp, Rossane" <rossane.c.delapp@vanderbilt.edu>, Peter Kariher/RTP/USEPA/US@EPA, Greg Helms/DC/USEPA/US@EPA, Richard Benware/DC/USEPA/US@EPA
Date: 07/19/2012 03:18 PM
Subject: Fw: Screening Values for Puerto Rico Leaching Tests

Can you respond to Andy's questions below?

----- Forwarded by Susan Thorneloe/RTP/USEPA/US on 07/19/2012 03:16 PM -----

From: "Garrabrants, Andrew Charles" <a.garrabrants@Vanderbilt.Edu>
To: Susan Thorneloe/RTP/USEPA/US@EPA, Peter Kariher/RTP/USEPA/US@EPA, Greg Helms/DC/USEPA/US@EPA, Richard

Benware/DC/USEPA/US@EPA
Cc:
Date: 07/19/2012 03:00 PM
Subject: Screening Values for Puerto Rico Leaching Tests

"Kosson, David S" <David.Kosson@Vanderbilt.Edu>, "Delapp, Rossane" <rossane.c.delapp@vanderbilt.edu>

Susan et al.,

Using the link that Len provided, I took the table of screening values (b) (5)

[Redacted]

[Redacted]

[Redacted]

Susan – can you please forward this table to Len and ask him to check it?

Regards,

Andy

Andrew C. Garrabrants, Ph.D.

Associate Research Professor

Department of Civil & Environmental Engineering

Vanderbilt University

VU Station B35-1831

2301 Vanderbilt Pl, Nashville, TN 37235

615-322-7226 office

615-322-3365 fax

FedEx and UPS:

400 24th Avenue South

Jacobs Hall 281

Nashville, TN 37235

[attachment "Region 9 Screening Levels (May 2012).xls" deleted by Lenny Grossman/R2/USEPA/US]